

Single-Phase Meters

Three-Phase Meters

Load Profiling Meters

Interval Data Recorders

Accessories

RightEnergy Software

## ■ **Class 2000 Meters**

Metering specific tenants, departments, cost centers or pieces of equipment in your facility allows you to pinpoint when and where energy is being used — right down to the specific date and time. Armed with this data, you can take steps to curtail this usage and thus reduce your overall energy consumption costs. E-Mon D-Mon Class 2000 meters are compatible with RightEnergy™ software, which allows you to easily monitor energy use from your desktop PC.

## ■ **Key Benefits**

- Versatile** - Monitors anything from a single lighting circuit to an entire building.
- Convenient** - Installs without interrupting power to you or your tenants.
- Accurate** - Certified to national accuracy standards ANSI C12.1 and C12.16.
- Reliable** - E-Mon D-Mon meters have set the industry standard for metering products for over 25 years.

## *In Demand*



*Capture date and time  
of highest energy use*

## ■ **Key Features**

- Ideal for indoor and outdoor use.
- Installation diagnostic indicator.
- Monitors multiple loads with one meter for a cumulative reading.
- UL Listed. Utility-grade accuracy.

For more information, contact us toll-free at (866) 944-4868  
or via e-mail at [hproducts@huntpower.com](mailto:hproducts@huntpower.com).

© 2005 Hunt Power, L.P. All Rights Reserved.  
Hunt Power is a trademark of Hunt Power, L.P.  
(08/05)

[www.huntpower.com](http://www.huntpower.com)

**hunt**™  
**POWER**

# E-Mon D-Mon® Products

Single-Phase Meters

Three-Phase Meters

Load Profiling Meters

Interval Data Recorders

Accessories

RightEnergy Software

## ■ **Class 2000 Meters**

### Benefits

- Easy and affordable installation virtually anywhere, including both new and retrofitted facilities.
- Patented split-core current sensors allow safer installation without power interruption.
- Retain meter reading in the event of power failure.
- Meters can be placed up to 2,000 feet away from an electric panel (by extending current sensor leads).
- Monitor multiple loads with one meter for a cumulative reading.
- Multiple Meter Unit (MMU) cabinets for up to 24 meters can be used to maximize space-restricted areas.

### Features

- Monitors a single electrical circuit, piece of equipment, department, tenant or even the entire building.
- 8-digit LCD display shows total energy consumption (kWh) and current load (real-time kW).
- Demand option displays kW/Demand and kW Peak date and time (15-minute interval standard, 30-minute interval available).
- Interfaces with RightEnergy software for tenant billing, cost allocation and graphing of energy usage.
- Current sensor installation diagnostic indicator.
- UL Listed/CSA approved.
- Utility-grade accuracy.

### Specifications

- Available as stand-alone or MMU configuration.
- 0-2 Volt output split-core current sensors allow for remote mounting of sensors up to 2,000 feet from meter without power interruption. (Optional solid-core sensors available.)
- Meters can be used on 1 Phase, 2 Wire or 2 Phase, 3 Wire configurations. Contact factory for other configurations.
- Industrial grade JIC (Joint Industrial Council) steel enclosure with padlocking hasp and mounting flanges for indoor installation.
- Optional outdoor enclosure available.

For more information, contact us toll-free at (866) 944-4868  
or via e-mail at [hproducts@huntpower.com](mailto:hproducts@huntpower.com).



© 2005 Hunt Power, L.P. All Rights Reserved.  
Hunt Power is a trademark of Hunt Power, L.P.  
(08/05)

[www.huntpower.com](http://www.huntpower.com)